VERSION WITH MARKINGS TO SHOW CHANGES MADE

The Claims

3. (Second Amendment) In an adaptive speed control system for a vehicle, a method for controlling vehicle deceleration, the method comprising:

determining a speed of the vehicle; and

setting a maximum allowed vehicle deceleration based on the vehicle speed determined, [The method of claim 1] wherein setting the maximum allowed vehicle deceleration comprises decreasing the maximum allowed vehicle deceleration as the vehicle speed increases.

4. (Second Amendment) In an adaptive speed control system for a vehicle, 3600 method for controlling vehicle deceleration, the method comprising:

determining a speed of the vehicle; and

setting a maximum allowed vehicle deceleration based on the vehicle speed determined, [The method of claim 1] wherein setting the maximum allowed vehicle deceleration comprises increasing the maximum allowed vehicle deceleration as the vehicle speed decreases.

6. (Second Amendment) In an adaptive speed control system for a vehicle, a method for controlling vehicle deceleration, the method comprising:

determining a speed of the vehicle; and

setting a maximum allowed vehicle deceleration based on the vehicle speed determined, [The method of claim 1] wherein the maximum allowed vehicle deceleration varies in a range between about 0.2 g and 0.3 g.

7. (Second Amendment) In an adaptive speed control system for a vehicle, a method for controlling vehicle deceleration, the method comprising:

determining a speed of the vehicle; and

S/N: 09/995,286 Atty Dkt No. FMCV 0194 PUS

setting a maximum allowed vehicle deceleration based on the vehicle speed determined. [The method of claim 1] wherein the maximum allowed vehicle deceleration is an exponential function of the vehicle speed.

11. (Second Amendment) <u>In an adaptive speed control system for a vehicle, a system for controlling vehicle deceleration, the system comprising:</u>

a receiver capable of receiving an input signal indicative of a speed of the vehicle; and

<u>a controller capable of setting a maximum allowed vehicle deceleration based</u> <u>on the vehicle speed.</u> [The system of claim 9] wherein, to set the maximum allowed vehicle deceleration, the controller is operative to decrease the maximum allowed vehicle deceleration as the vehicle speed increases.

12. (Second Amendment) <u>In an adaptive speed control system for a vehicle, a system for controlling vehicle deceleration, the system comprising:</u>

a receiver capable of receiving an input signal indicative of a speed of the vehicle; and

a controller capable of setting a maximum allowed vehicle deceleration based on the vehicle speed. [The system of claim 9] wherein, to set the maximum allowed vehicle deceleration, the controller is operative to increase the maximum allowed vehicle deceleration as the vehicle speed decreases.

14. (Second Amendment) <u>In an adaptive speed control system for a vehicle, a system for controlling vehicle deceleration, the system comprising:</u>

a receiver capable of receiving an input signal indicative of a speed of the vehicle; and

a controller capable of setting a maximum allowed vehicle deceleration based on the vehicle speed. [The system of claim 9] wherein the maximum allowed vehicle deceleration varies in a range between about 0.2 g and 0.3 g.

S/N: 09/995,286 Atty Dkt No. FMCV 0194 PUS

15. (Second Amendment) <u>In an adaptive speed control system for a vehicle, a system for controlling vehicle deceleration, the system comprising:</u>

a receiver capable of receiving an input signal indicative of a speed of the vehicle; and

a controller capable of setting a maximum allowed vehicle deceleration based on the vehicle speed. [The system of claim 9] wherein the maximum allowed vehicle deceleration is an exponential function of the vehicle speed.

17. (New) <u>In an adaptive speed control system for a vehicle, a method for controlling vehicle deceleration, the method comprising:</u>

determining a speed of the vehicle; and

setting a maximum allowed vehicle deceleration based on the vehicle speed determined, wherein the maximum allowed vehicle deceleration is variable.

18. (New) <u>In an adaptive speed control system for a vehicle, a system for controlling vehicle deceleration, the system comprising:</u>

a receiver capable of receiving an input signal indicative of a speed of the vehicle; and

a controller capable of setting a maximum allowed vehicle deceleration based on the vehicle speed, wherein the maximum allowed vehicle deceleration is variable.